



FML sKE Manufacturing Co., Ltd



SKF SYH 1.1/8 WF bearing units

Bearing No. SYH 1.1/8 WF

SYH 1.1/8 WF Bearing 2D drawings and 3D CAD models

Bore Diameter	28,575 mm
d	28,575 mm
s1	30,1 mm
A	40 mm
A1	25 mm
B1	48,4 mm
H	80 mm
H1	39,7 mm
H2	14,8 mm
J	117,5 mm
L	152 mm
N	23,5 mm
N1	14 mm
Thread (G)	12
Weight	1,45 Kg
Basic dynamic load rating (C)	19,5 kN
Basic static load rating (C0)	11,2 kN
Fatigue load limit (Pu)	0,475
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.41
EAN	7316577755759
Product Group	M06110
Number of Mounting Holes	2



FML ske Manufacturing Co., Ltd

Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YEL 206-102-2F
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch - Metric	Inch
Other Features	Single Row Standard Duty Wide Inner Race Low Base Has Flinger
Long Description	2 Bolt Pillow Block; 1-1/8" Bore; 1-9/16" Base to Center Height; Eccentric Collar Mount; Ball Bearing; 4-1/4" Minimum Bolt Spacing; 5" Bolt Spacing Maximum; Relubricatable; Cast Ir
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	SYH 1.1/8 WF
Weight / LBS	3.1
Bolt Spacing Minimum	4.25 Inch 107.95Millimeter
Actual Bolt Center to Center	0 Inch 0Millimeter
Base to Center Height	1.563 Inch 39.7 Millimeter
Bore	1.125 Inch 28.575 Millimeter



FML ske Manufacturing Co., Ltd

Bolt Spacing Maximum	5 Inch 127Millimeter
Nominal Bolt Center to Center	4.6 Inch 118 Millimeter
Length Thru Bore	1.906 Inch 48.42 Millimeter